

897ABT

Product Description:

The 800 series harnesses are extremely durable and comfortable. With a range that is extensive, and a suitable model for nearly every job application, the 800 series is a long time favorite in construction industry. These harnesses are designed to meet specific safety and functional needs for climbing towers.

Product Features:

- · Adjustable shoulder, chest, waist and leg straps
- Sliding back D-ring
- Suspension saddle
- Cross-over style
- 6" wide comfort waist pad/removeable heavy duty tool belt
- Lightweight, high strength synthetic webbing

MATERIAL SPECIFICATIONS		
Webbing	1-3/4" polyester, minimum tensile strength 6,000 lbs.	
Hardware	D-ring: plated alloy steel, plated 100% proof loaded to 3,600 lbs.	
	min. tensile strength 5,000 lbs.	
	Tongue buckle/grommet legs: plated alloy steel	
	Bayonet chest plated alloy steel	
	Friction buckles: plated alloy steel, min tensile strength 4,000 lbs.	
Padding	Cool Max foam waist pad	

PEFORMANCE SPECIFICATIONS		
ANSI User Capacity	130-310 lbs. Max	
OSHA User Capacity	400 lbs. Max	

RELEVANT STANDARDS		
ANSI	ANSI Z359.1-2007	
OSHA	Meets or exceeds all OSHA requirements	

SIZES/LENGTHS

S, M , L, XL, XXL



FrenchCreek

WARNING: Read, understand and follow all labels and instructions prior to use. Inspect before each use. Remove from service if there is evidence of damage or excessive wear.

REV A **DATE** 12/324

PAGE 1